IN THE CLAIMS:

Please enter the attached listing of claims into the application. This listing of claims replaces all prior listing of claims in the application.

LISTING OF CLAIMS

- 1. (Currently Amended) An isolated nucleic acid molecule selected from the group consisting of:
- a) a nucleic acid molecule consisting of a nucleotide sequence which is at least 80% identical to the nucleotide sequence of SEQ ID NO:1 and which encodes a polypeptide that dephosphorylates RNA polymerase II or which interacts with REST/NRSF;
- b) a nucleic acid molecule comprising a nucleotide sequence which is at least [[80]] 99% identical to the nucleotide sequence of SEQ ID NO:1 and which encodes a polypeptide that dephosphorylates RNA polymerase II or which interacts with REST/NRSF:
- c) a nucleic acid molecule which encodes a polypeptide consisting of the amino acid sequence of SEQ ID NO:2;
- d) a nucleic acid molecule which encodes a polypeptide comprising the amino acid sequence of SEQ ID NO:2;
- e) a nucleic acid molecule which encodes a polypeptide comprising the amino acid sequence of SEQ ID NO:2 with 0 to 50 conservative amino acid substitutions and which encodes a polypeptide that dephosphorylates RNA polymerase II or which interacts with REST/NRSF; and
- f) a nucleic acid molecule which encodes a naturally occurring allelic variant of a polypeptide comprising the amino acid sequence of SEQ ID NO:2 wherein the nucleic acid molecule hybridizes to a nucleic acid molecule consisting of SEQ ID NO: 1, 3, 5, 7, 9 or 11, or a complement thereof, under stringent conditions of 0.5M Sodium Phosphate, 7% SDS at 65°C, followed by one or more washes at 0.2X SSC, 1% SDS at 65°C and which encodes a polypeptide that dephosphorylates RNA polymerase II or which interacts with REST/NRSF.

- 2. (Currently Amended) An isolated nucleic acid molecule of claim 1, comprising consisting of a sequence selected from the group consisting of: a) the GenBank Accession Number BE300370; b) the GenBank Accession Number AL520011; and c) the GenBank Accession Number AL520463, or a complement thereof, wherein the nucleic acid molecule encodes a polypeptide that dephosphorylates RNA polymerase II or which interacts with REST/NRSF.
- 3. (Previously Presented) A nucleic acid molecule comprising the nucleotide sequence of SEQ ID NO:1.
- 4. (Previously Presented) A nucleic acid molecule consisting of the nucleotide sequence of SEQ ID NO:1.
- 5. (Original) The isolated nucleic acid molecule of claim 1, wherein the nucleotide sequence is at least 90% identical to SEQ ID NO:1, 3, 5, 7, 9 or 11.
- 6. (Original) The isolated nucleic acid molecule of claim 1, wherein the nucleotide sequence is at least 95% identical to SEQ ID NO:1, 3, 5, 7, 9 or 11.
- 7. (Original) A vector containing the nucleic acid of claim 1, 2, 3 or 4.
- 8. (Original) A host cell containing the vector of claim 7.
- 9. (Original) The host cell of claim 8, wherein the host cell is a bacterial, yeast, insect or mammalian cell.
- 10. (Original) A method of producing a polypeptide, the method comprising culturing the host cell of claim 8 in a culture, expressing the polypeptide encoded by the nucleic acid in the cultured host cell, and isolating the polypeptide from the culture.

- 11. (Withdrawn) An isolated polypeptide selected from the group consisting of: a) a polypeptide consisting of an amino acid sequence which is at least 80% identical to the amino acid sequence of SEQ ID NO:2, 4, 6, 8, 10 or 12; b) a polypeptide comprising an amino acid sequence which is at least 80% identical to the amino acid sequence of SEQ ID NO:2, 4, 6, 8, 10 or 12; c) a polypeptide comprising the amino acid sequence of SEQ ID NO:2, 4, 6, 8, 10 or 12 with 0 to 50 conservative amino acid substitutions; d) a polypeptide which is encoded by a nucleic acid molecule comprising a nucleotide sequence which is at least 80% identical to a nucleic acid comprising the nucleotide sequence of SEQ ID NO:1, 3, 5, 7, 9 or 11; and e) a naturally occurring allelic variant of a polypeptide comprising the amino acid sequence of SEQ ID NO:2, 4, 6 or 8, wherein the polypeptide is encoded by a nucleic acid molecule which hybridizes to a nucleic acid molecule consisting of SEQ ID NO: 1, 3, 5, 7, 9 or 11, or a complement thereof, under stringent conditions.
- 12. (Withdrawn) An isolated polypeptide selected from the group consisting of: a) the polypeptide encoded by the cDNA insert deposited with ATCC as Accession Number BE300370; b) the polypeptide encoded by the cDNA insert deposited with ATCC as Accession Number AL520011; and c) the polypeptide encoded by the cDNA insert deposited with ATCC as Accession Number AL520463.
- 13. (Withdrawn) A polypeptide comprising the amino acid sequence of SEQ ID NO:2, 4, 6, 8, 10 or 12.
- 14. (Withdrawn) A polypeptide consisting of the amino acid sequence of SEQ ID NO:2, 4, 6, 8, 10 or 12.
- 15. (Withdrawn) The isolated polypeptide of claims 11, 12, 13 or 14, wherein the polypeptide is a phosphatase or a phosphatase inactive mutant.
- 16. (Withdrawn) The isolated polypeptide of claim 15, wherein the phosphatase is a serine phosphatase.

- 17. (Withdrawn) The isolated polypeptide of claim 16, wherein the serine phosphatase is a small C-terminal domain phosphatase (SCP) that dephosphorylates RNA polymerase II.
- 18. (Withdrawn) The isolated polypeptide of claim 15, wherein the serine phosphatase dephosphorylates serine 5 within the C-terminal binding domain (CTD) of RNA polymerase II.
- 19. (Withdrawn) The polypeptide of claim 18, wherein the phosphatase is small CTD phosphatase-1 (SCP1), small CTD phosphatase-2 (SCP2), or small CTD phosphatase-3 (SCP3).
- 20. (Withdrawn) The isolated polypeptide of claim 11, wherein the amino acid sequence comprises 0 to 30 conservative amino acid substitutions.
- 21. (Withdrawn) The isolated polypeptide of claim 11, wherein the amino acid sequence comprises 0 to 10 conservative amino acid substitutions.
- 22. (Withdrawn) The isolated polypeptide of claim 11, wherein the amino acid sequence is at least 90% identical to SEQ ID NO:2, 4, 6, 8, 10 or 12.
- 23. (Withdrawn) The isolated polypeptide of claim 11, wherein the amino acid sequence is at least 95% identical to SEQ ID NO:2, 4, 6, 8, 10 or 12.
- 24. (Withdrawn) An antibody that selectively binds to a polypeptide of claim 11, 12, 13 or 14.
- 25. (Withdrawn) The antibody of claim 24, wherein the antibody is polyclonal or monoclonal.
- 26. (Withdrawn) A method of promoting differentiation of a non-neuronal cell in to a cell of the nervous system, the method comprising: a) contacting the cell with a

nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide selected from the group consisting of SEQ ID NO:10 and SEQ ID NO:12; and b) expressing the polypeptide in the cell.

- 27. (Withdrawn) The method of claim 26, wherein the non-neuronal-cell is a stem cell.
- 28. (Withdrawn) The method of claim 26, wherein the stem cell is an embryonic stem cell.
- 29. (Withdrawn) The method of claim 26, wherein the cell of the nervous system is a neuron, a sensory neuron, a motoneuron, an interneuron, a glial cell, a microglial cell or an astrocyte.
- 30. (Withdrawn) The method of claim 26, wherein the nucleic acid molecule is an expression vector.
- 31. (Withdrawn) The method of claim 30, wherein the nucleic acid molecule is a viral genome.
- 32. (Withdrawn) A method of inhibiting differentiation of a non-neuronal cell in to a cell of the nervous system, the method comprising: a) contacting the cell with a nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide selected from the group consisting of SEQ ID NO:2. SEQ ID NO:4, SEQ ID NO:6 and SEQ ID NO:8; and b) expressing the polypeptide in the cell.
- 33. (Withdrawn) A method of promoting RNA polymerase II associated transcription in a cell, the method comprising: a) contacting the cell with a nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide selected from the group consisting of SEQ ID NO:10 and SEQ ID NO:12; and b) expressing the polypeptide in the cell.

- 34. (Withdrawn) A composition comprising an inhibitor of small CTD phosphatase (SCP) gene expression, wherein the inhibitor is selected from the group consisting of: a) a small molecule inhibitor of gene expression; b) an antisense oligonucleotide; and c) a small interfering RNA molecule (siRNA or RNAi).
- 35. (Withdrawn) The composition of claim 34, wherein the inhibitor of SCP gene expression specifically binds to a polynucleotide selected from the group consisting of: a) a polynucleotide comprising a sequence selected from the group consisting of SEQ ID NO:1, 3, 5 and 7; b) a complement of a polynucleotide comprising a sequence selected from the group consisting of SEQ ID NO:1, 3, 5 and 7; c) a reverse sequence of a polynucleotide comprising a sequence selected from the group consisting of SEQ ID NO:1, 3, 5 and 7; d) a polynucleotide that encodes a polypeptide comprising a sequence selected from the group consisting of SEQ ID NO:2, 4, 6 and 8; e) a complement of a polynucleotide that encodes a polypeptide comprising a sequence selected from the group consisting of SEQ ID NO:2, 4, 6 and 8; and f) a reverse sequence of a polynucleotide that encodes a polypeptide comprising a sequence selected from the group consisting of: SEQ ID NO:2, 4, 6 and 8.
- 36. (Withdrawn) The composition of claim 34, wherein the cell is a stem cell.
- 36. (Withdrawn) A method of promoting the differentiation of a non-neuronal cell in to a cell of the nervous system, the method comprising contacting the non-neuronal cell with the composition of claim 34 in a sufficient concentration to inhibit the expression of a small CTD phosphatase (SCP).
- 37. (Withdrawn) A method of promoting the differentiation of a non-neuronal cell in to a cell of the nervous system, the method comprising contacting the non-neuronal cell with the antibody of claim 24 in a sufficient concentration to inhibit the activity of a small CTD phosphatase (SCP).

- 38. (Withdrawn) A method for identifying a compound which modulates the activity of a polypeptide of claim 11, the method comprising: a) contacting a polypeptide of claim 11 with a test compound; and b) determining the effect of the test compound on the activity of the polypeptide to thereby identify a compound which modulates the activity of the polypeptide.
- 39. (Withdrawn) A method of modulating the differentiation of a mammalian stem cell comprising contacting the stem cell with a compound that modulates SCP1, SCP2 or SCP3 activity, under conditions suitable for differentiation of said stem cell.
- 40. (Withdrawn) The method of claim 1, wherein the compound inhibits SCP1, SCP2 or SCP3 activity.
- 41. (Withdrawn) A method of transplanting a mammalian stem cell or progenitor cell to a patient in need thereof, the method comprising: (a) contacting the stem cell or progenitor cell with a compound that inhibits SCP1, SCP2 or SCP3 activity to produce a treated stem cell or progenitor cell; and (b) transplanting the treated stem cell into said patient.
- 42. (Withdrawn) An in vitro method to modulate the differentiation state of a stem cell, the method comprising: (i) contacting the stem cell with at least one inhibitory RNA molecule (RNAi) comprising a sequence of a gene, or the effective part thereof, selected from the group consisting of SCP1, SCP2 and SCP3; (ii) providing conditions conducive to the growth and differentiation of the cell treated in (i); and optionally (iii) maintaining and/or storing the cell in a differentiated state.